



CoFC

Attorney Docket No. 1881.1001C

THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Takeshi KUBO et al.

Application No.: 09/835,128

ATTENTION

Confirmation No.: 8149

CERTIFICATE OF CORRECTION

Filed: April 16, 2001

BRANCH

U.S. Patent No.: 7,007,168

Issued: February 28, 2006

For: USER AUTHENTICATION USING MEMBER SPECIFYING DISCONTINUOUS
DIFFERENT COORDINATES (As Amended)

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Certificate
AUG 10 2006
of Correction

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake(s) shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date:

June 20, 2006

By:

[Signature]

H. J. Staas

Registration No. 22,010

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

AUG 11 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,007,168

DATED : February 28, 2006

INVENTOR(S) : Takeshi KUBO et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 40, Line 25, after "detector" insert - - , - - .

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Avenue, N.W.
7th Floor
Washington, DC 20005

PATENT NO. 7,007,168

No. of add'l copies
@ 304 per page

⇒

AUG 11 2006